

Progress report in Pen programming language

October 2, 2022

[@raviqqe](#)

Agenda

- Progress report
 - String concatenation
 - Debug function
- Next plans

Progress report

String concatenation

- Pen now has a string concatenation operator (+.)
- Multiple string concatenations are batched into one.

```
concatenateStrings = \(ss [string]) string {  
  if [s, ...ss] = ss {  
    s() + concatenateStrings(ss)  
  } else {  
    ""  
  }  
}
```

Debug function

- `debug` built-in function pretty-prints values of any types.
 - `\(any) none`
- Work is still in progress.
 - Primitive, record, and union types are done.

```
foo = \( ) none {  
  xs = [number 1, 2, 3]  
  
  debug(xs)  
}
```

Output:

```
[number 1, 2, 3]
```

Type information

- Pen compiles AST -> HIR -> MIR -> F-- -> LLVM IR -> assembly.
- Pen previously had no HIR-level type information.
 - But only at the MIR level.
- We need to inject custom type information for reflection from HIR to MIR.
 - e.g. `debug` function

Type information

Internal representation

Variants:

offset (words)	data
0	pointer to type information
1	payload

Type information

Internal representation

Type information:

offset (words)	data	type
0	Clone function	(payload) -> payload
1	Drop function	(payload) -> ()
2	Synchronize function	(payload) -> ()
3	Custom function	() -> something

Next plan

- Bug fixes on macOS
- Refactoring...

Summary

- Progress
 - String concatenation
 - Debug function
- Next plans