

Progress report in Pen programming language

October 16, 2022

[@raviqqe](#)

Agenda

- Progress report
 - `Reflect` package
 - `Test` package improvements
 - C calling convention
 - Compiler optimization
- Next plans

Progress report

Reflect package

- `Reflect` package is added for reflection.
- By using it, programs can access type information of values at runtime.
- Currently, it has two functions.
 - `Debug`
 - Type: `\(any) string`
 - Pretty-prints a value.
 - `Equal`
 - Type: `\(any, any) boolean | none`
 - Compares values for partial equality.

Test package

- Assertions functions in the `Test` package can now pretty-print values on failures.

Test code:

```
Check = \() none | error {  
  Assert 'Equal(42, none)  
}
```

Output:

```
foo.test.pen  
      FAIL      Check  
              Message: values are not equal (found: 42) (expected: none)  
summary  
      FAIL      0 passed, 1 failed
```

C calling convention

- The C calling convention is implemented in the Pen compiler.
 - I couldn't wait for C wrapper emission in MLIR...
- It's based on [the System V x86-64 ABI](#).
 - Many other platforms also have adopted it.
- Many hacks to circumvent a fake C calling convention is removed from the compiler.
 - Variant types are passed on stack instead of heap if necessary.

Compiler optimization

Miscellaneous optimization in the Pen compiler.

- Functional algorithm to imperative for CPS transformation
- Unique names for local variables in F--
- Type compilation cache
- 3x speedup for compiling certain modules

Others

- Everything runs on macOS with M1 chip now.
- Content hash-based rebuilds
 - Implemented in the Turtle build system

Next plan

- More lower-hanging fruits for compiler optimization

Summary

- Progress
 - `Reflect` package
 - `Test` package improvements
 - C calling convention
 - Compiler optimization
- Next plans