Embedding Stak Scheme in Rust

@raviqqe

January 14, 2024

Contents

- Embedding Scheme in Rust
- Related crates
- Release process
- Future work

Embedding Scheme in Rust

- Stak Scheme can be embeddable into Rust codes.
- Rust codes can simply "import" codes written in Stak Scheme.
- Currently, they can talk to each other only by I/O.
 - Object interoperability (maybe) in the future (probably!)

Examples

```
use stak_device::FixedBufferDevice;
use stak_macro::compile_r7rs;
use stak_primitive::SmallPrimitiveSet;
use stak vm::Vm;
const HEAP_SIZE: usize = 1 << 16;</pre>
const BUFFER_SIZE: usize = 1 << 10;</pre>
let mut heap = [Default::default(); HEAP_SIZE];
let device = FixedBufferDevice::<BUFFER_SIZE, 0>::new(&[]);
let mut vm = Vm::new(&mut heap, SmallPrimitiveSet::new(device)).unwrap();
const PROGRAM: &[u8] = compile_r7rs!(r#"
    (import (scheme write))
    (display "Hello, world!")
"#);
vm.initialize(PROGRAM.iter().copied()).unwrap();
vm.run().unwrap();
assert_eq!(vm.primitive_set().device().output(), b"Hello, world!");
```

Examples

Macros

- compile_r7rs! compiles R7RS Scheme codes into bytecodes.
- include_r7rs! includes and compiles R7RS Scheme codes from a file path.
- They run at a compile time.

Related crates

- A stak-macro crate contains compile_r7rs! and include_r7rs!.
- A stak-compiler crate contains a compile_r7rs function which runs compiler bytecodes and a VM for it to compile another Scheme program.
 - The crate is not dependent on another Scheme interpreter.

Release process

- A (binary) bytecode file is bundled with a crate of stak-compiler on release.
 - On development, they are built by build.rs.
 - o On cargo publish of the crate, the bytecode file is bundled as an asset.
- cargo install stak or the other crates do not require another Scheme interpreter anymore!

Future work

- Scheme embedded in Rust
 - Scheme/Rust object interoperability
 - VTable?
 - Serde?
- Library system
- eval procedure

Summary

• Embedding Scheme in Rust is fun! 😜